AD621801

#4949:2

FINAL REPORT—PART I

FINITE MEMORY NONLINEAR FILTERING OF DIGITAL SEQUENCES

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC AND TECHNICAL INFORMATION
Hardcopy $1.00 | Microfiche $0.50 | 18 pp
ARCHIVE COPY

Jack K. Wolf
Principal Investigator

October 1, 1965

Prepared for
U.S. ARMY RESEARCH OFFICE—DURHAM
BOX CM, DUKE STATION
DURHAM, NORTH CAROLINA 27706

CONTRACT NO. DA-31-124-ARO-D-253
ARO(D) PROJECT NO. 4949E

OCT 13 1965

LABORATORY
FOR
ELECTROSCIENCE RESEARCH

DEPARTMENT OF ELECTRICAL ENGINEERING

SCHOOL OF ENGINEERING AND SCIENCE

NEW YORK UNIVERSITY **bronx, new york 10453**

NOTICE

Requests for additional copies by agencies of the Department of Defense, their contractors, or other government agencies should be directed to the:

DEFENSE DOCUMENTATION CENTER (DDC)
CAMERON STATION
ALEXANDRIA, VIRGINIA 22314

Department of Defense contractors must be established for DDC services or have their "need-to-know" certified by the cognizant military agency of their project or contract.

All other persons and organizations should apply to the:

CLEARINGHOUSE FOR FEDERAL SCIENTIFIC
AND TECHNICAL INFORMATION (CFSTI)
SILLS BUILDING
5285 PORT ROYAL ROAD
SPRINGFIELD, VIRGINIA 22151

In addition to published papers, the School of Engineering and Science reports the results of its research in the form of reports to sponsors of research projects, Technical Reports, and Technical Notes. The latter are normally limited to distribution within the School. Information regarding the availability of reprints of journal articles and Technical Reports may be obtained by writing to the Director of the Research Division, School of Engineering and Science, New York University, Bronx, N.Y. 10453.

FINITE MEMORY NONLINEAR FILTERING OF DIGITAL SEQUENCES

Jack K. Wolf
Principal Investigator

October 1, 1965



NEW YORK UNIVERSITY
SCHOOL OF ENGINEERING AND SCIENCE
DEPARTMENT OF ELECTRICAL ENGINEERING
Laboratory for Electroscience Research

University Heights
Bronx, New York 10453

FINAL REPORT - PART I

Contract No. DA-31-124-ARO-D-253
ARO(D) Project No. 4949E

September 1, 1964 to August 31, 1965

Prepared
for

U.S. ARMY RESEARCH OFFICE - DURHAM
BOX CM, DUKE STATION
DURHAM, NORTH CAROLINA 27706

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	1
II.	FACTUAL DATA	1
III.	SCIENTIFIC PERSONNEL	9
IV.	PUBLICATIONS	9
REFERENCES		11

ABSTRACT

The autocorrelation function of sequences generated by the non-linear filtering of binary maximal length sequences are derived. It is shown that the autocorrelation function of the filtered sequences, which are recognized as interleaved sequences, are similar to the autocorrelation function of the original maximal length sequence except for the addition of minor peaks. Other problems considered are the cross-correlation functions of interleaved two-level sequences, binary and non-binary sequences, binary and non-binary sequences orthogonal for all cyclic shift, the performance of an asynchronous multiple-access system and the hard limiting of non-binary sequences.

I. INTRODUCTION

This is the final report for Contract No. DA-31-124-ARO-D-253, which was undertaken with the U.S. Army Research Office (Durham) and is entitled "Finite Memory Nonlinear Filtering of Digital Sequences." The research was primarily concerned with the autocorrelation and cross-correlation properties of certain classes of binary and nonbinary digital sequences. The applications of these sequences to synchronization problems and the multiple access problem were also considered.

In Part I of the final report, a brief summary of the aims and results of this research is presented. The details of this investigation, however, are presented in Part II of the final report, which has also been submitted by Mr. Karl N. Levitt as a doctoral dissertation. Part I also contains a list of scientific personnel who contributed to this project, and a summary of a paper accepted for publication.

II. FACTUAL DATA

The initial aim of the research was to examine the effects of filtering a binary maximal length linear-shift register sequence of period L with the nonlinear filter shown in Figure 1. The parameter, γ, defined as the ratio of the length of the delay to the pulse duration T of the input sequence, was assumed to be a positive, rational number.

Prior to the initiation of this investigation, a computer simulation of this problem indicated that the autocorrelation function of the output sequences were consistently of a particular form. For example,



F I G . 1

F I G . 2

for delays of the form $\gamma = p + \frac{1}{2}$, $p = 1,2, \ldots, \frac{L-3}{2}$, the autocorrelation was always of the form shown in Figure 2, with two intermediate peaks whose heights depended only upon the period of the input sequence (and not upon the delay), but whose location depended both upon the delay and upon the generator polynomial of the input maximal length sequence.

Initially, we were concerned with analytically deriving the form of the autocorrelation function of the output sequence. Very early in this work, it was realized that owing to the "shift and add" property of maximal length binary sequences, this problem was a special case of the more general problem of the arbitrary n-fold interleaving of the same binary maximal length sequence[1] of length L. For this general problem, it was shown that the autocorrelation function is similar to that of the original sequence, except for the addition of n(n-1) intermediate peaks of height $\frac{L-n+1}{nL}$. A number of these intermediate peaks can occur at the same location to produce fewer peaks of larger amplitude. A formula for calculating the location of these minor peaks was also derived.[2]

If the normalized delay, γ, of the filter in Figure 1 is written in the form

$$\gamma = p + \frac{i}{n} \quad ,$$

where p, i, and n are integers and $0 \leq i \leq n - 1$, then n is the number of interleavings required in the more general analysis. Thus, for $\gamma = p + \frac{1}{2}$, we have a 2-fold interleaving of the maximal length sequence leading to $n(n-1) = 2$ intermediate peaks of height $\frac{L-n+1}{nL} = \frac{1}{2} - \frac{1}{2L}$

as found in the computer simulation. The formula for peak locations also checked with the computer results.

The interleaving technique was utilized to synthesize sequences with other interesting autocorrelation functions. For example, a particular method of the 7-fold interleaving of a length 15 maximal length sequence led to the autocorrelation function given in Figure 3. Sequences of this type may have use for rapid synchronization in a high signal-to-noise ratio environment where the height of the side-lobe peak identifies the magnitude of the synchronization error.[3] The probability of false synchronization was evaluated for these sequences and compared to results obtained for maximal length sequences. Sequences with small side-lobes were synthesized using another interleaving method leading to "almost" two-level autocorrelation functions. An example of the resulting autocorrelation functions is given in Figure 4, which was obtained by a particular 8-fold interleaving of a length 7 maximal length sequence. Interleaved sequences can be obtained by a generalization of the nonlinear filtering originally studied where now many delay networks are required.[4]

Another major problem considered in this research is the cross-correlation of various digital sequences. This problem arises when many sequences are simultaneously transmitted over a common channel (such as in a multiple access communications system) and synchronous reception is utilized at the receiver. It was found that[5] particular sets of basis functions for the Walsh functions had the property that the cyclic cross-correlation between any pair of sequences in the set was identically zero for all time shifts.[6] The cyclic cross-correlation between other sets of



FIG. 3

DIFFERENT PEAK AUTOCORRELATION FUNCTION OF 7-FOLD INTERLEAVING OF LENGTH 15 MAXIMAL LENGTH SEQUENCE

sequences were also investigated, e.g. sequences obtained by interleaving maximal length sequences. Both binary and nonbinary sequences were considered in this problem.

When information is to be transmitted using a binary sequence as a carrier, a common method is to transmit either the binary sequence or its complement. Thus, for the case where many carriers share a common channel, it is important to know the cross-correlation between any sequence and another sequence shifted in time where all digits prior to the time shift are complemented and all digits after the time shift are uncomplemented. The cyclic "flipped" cross-correlation has been derived for:

a. a set of basic Walsh functions
b. randomly chosen binary sequences
c. sequences based upon Bose-Chaudhuri codes
d. a set of sinusoids with frequencies which are multiples of some fixed frequency

The cyclic "flipped" cross-correlation was then used to determine the probability of error in transmission for any given channel. A typical result for the case of Walsh functions is given in Figure 5. Here the probability of error for the channel with carrier 101010 ... is given in terms of the energy per bit-to-noise power density ratio for various numbers of signals simultaneously sharing the channel.[7]

Other research topics considered during this investigation include

1. Use of cyclically P-orthogonal sequences for a plurality logic multiplexing system[8]
2. Nonbinary Hadamard matrices[9]



FIG. 5

PROBABILITY OF ERROR VS SIGNAL ENERGY (PER BIT)/ NOISE POWER DENSITY WHEN CORRELATING WITH SIGNAL S_0 (1010101010 · · · · · ·)

CURVE FOR K = 2 DERIVED FROM CLOSED FORM SOLUTION
CURVE FOR K = 3 DERIVED BY COMPUTER
CURVE FOR K = 4,5 DERIVED BY ASSYMPTOTIC METHOD

It is believed that the research outlined in the original proposal has been carried to a successful conclusion. In addition, many other research problems associated with this work were also solved.

III. SCIENTIFIC PERSONNEL

J.K. Wolf (Ph.D.)	Associate Professor of Electrical Engineering Principal Investigator
K.N. Levitt (M.E.E.)	Research Assistant

Mr. Levitt has submitted a doctoral dissertation, entitled "Correlation Properties of Multi-Level Cyclic Sequences" (which makes up Part II of this Final Report), based upon research conducted under this contract.

IV. PUBLICATIONS

The following is an abstract of a paper which will be presented at the National Electronics Conference, Chicago, Illinois, on October 25, 26, 27, 1965. Other papers are presently being prepared for publication.

ON THE INTERLEAVING OF TWO LEVEL PERIODIC BINARY SEQUENCES

Karl N. Levitt and Jack K. Wolf

ABSTRACT

Periodic binary sequences are considered which are obtained by interleaving n identical, known, two-level sequences of length L. It is shown that the autocorrelation function of the resultant sequence is similar to that of the original sequence except for the addition of n(n-1) intermediate minor peaks of height $\frac{L - n + 1}{nL}$. A number of peaks can occur at the same location to produce fewer larger peaks. An algorithm for calculating the location of the minor peaks is given. Examples of interleaved sequences exhibiting autocorrelation functions which are "almost" two level, and autocorrelation functions with (n-1) peaks of different amplitudes are presented.

REFERENCES

1. By the n-fold interleaving of the sequence $a_0 a_1 \cdots a_{L-1}$, we mean a sequence of the form $a_0 a_{i_1} a_{i_2} \cdots a_{i_{n-1}} a_1 a_{i_1+1} a_{i_2+1} \cdots a_{i_{n-1}+1} \cdots a_{L-1} a_{i_1-1} a_{i_2-1} \cdots a_{i_{n-1}-1}$. The choice of the parameters $i_1, i_2, \ldots, i_{n-1}$, called the interleaving constants, determine the form of the autocorrelation of the resultant sequence.
2. The location of the n(n-1) minor peaks are given in terms of the interleaving constants in Chapter 3 of Part II.
3. See Chapter 3 of Part II. Also considered in this chapter was the interleaving of a maximal length sequence with the complement of the sequence. This leads to autocorrelation dunctions with both positive and negative peaks.
4. See Chapter 3 of Part II.
5. See Chapter 4 of Part II.
6. Interleaved sequences were also exhibited whose cyclic cross-correlations were identically zero for all time shifts.
7. See Chapter 5 of Part II for appropriate assumptions and analysis.
8. See Chapter 6 of Part II.
9. See Chapter 4 of Part II.

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY *(Corporate author)*
NEW YORK UNIVERSITY, SCHOOL OF ENGINEERING AND SCIENCE, Department of Electrical Engineering, Laboratory for Electroscience Research, University Hts., Bx., NY 10453

2a. REPORT SECURITY CLASSIFICATION
UNCLASSIFIED

2b. GROUP

3. REPORT TITLE
FINITE MEMORY NONLINEAR FILTERING OF DIGITAL SEQUENCES

4. DESCRIPTIVE NOTES *(Type of report and inclusive dates)*
Final Report - Part I

5. AUTHOR(S) *(Last name, first name, initial)*
Wolf, Jack K.

6. REPORT DATE
October 1, 1965

7a. TOTAL NO. OF PAGES
11 + ii

7b. NO. OF REFS
9

8a. CONTRACT OR GRANT NO.
DA-31-124-ARO-D-253

b. PROJECT NO.
4949E

c. TASK

d.

9a. ORIGINATOR'S REPORT NUMBER(S)

9b. OTHER REPORT NO(S) *(Any other numbers that may be assigned this report)*

10. AVAILABILITY/LIMITATION NOTICES
U.S. Government agencies may obtain copies of this report directly from DDC. All other users shall request through Clearinghouse for Federal Scientific and Technical Information, (CFSTI), Sills Building, Springfield, Virginia 22151.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY
U.S. Army Research Office - Durham
Box CM, Duke Station
Durham, North Carolina 27706

13. ABSTRACT
The autocorrelation function of sequences generated by the non-linear filtering of binary maximal length sequences are derived. It is shown that the autocorrelation function of the filtered sequences, which are recognized as interleaved sequences, are similar to the autocorrelation function of the original maximal length sequence except for the addition of minor peaks. Other problems considered are the cross-correlation functions of interleaved two-level sequences, binary and non-binary sequences orthogonal for all cyclic shifts, the performance of an asynchronous multiple-access system and the hard limiting of non-binary sequences.

DD FORM 1 JAN 64 1473

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Coding Theory Communications Sequences Multiple Access						

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization *(corporate author)* issuing the report.

2*a*. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2*b*. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7*a*. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7*b*. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8*a*. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8*b*, 8*c*, & 8*d*. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9*a*. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9*b*. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers *(either by the originator or by the sponsor)*, also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

(1) "Qualified requesters may obtain copies of this report from DDC."

(2) "Foreign announcement and dissemination of this report by DDC is not authorized."

(3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through

_____."

(4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through

_____."

(5) "All distribution of this report is controlled. Qualified DDC users shall request through

_____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring *(paying for)* the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as *(TS), (S), (C), or (U).*

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.